



150' DP-1 OSV HMS Jim Morgan



DIMENSIONS & DOCUMENTATION

| | | | | | |
|--------------------|---------------|-------|--------------|-------------|-------------|
| Length Overall: | 150 Ft 15.2 M | Beam: | 36 Ft 10.9 M | Depth: | 12 Ft 3.7 M |
| GRT (ITC): | 447 | Net: | 134 | Max Draft: | Ft M |
| Classification: | ABS | Flag: | US | Min Draft: | |
| Classification ID: | 07175595 | O. N. | 1200644 | Year Built: | 2007 |
| IMO: | 9097147 | | | | |
| Notations: | | | | | |
| Certifications | Subchapter L | | | | |

PERFORMANCE

| | | | | |
|-----------------|------------|-------------------|--------|------|
| Maximum Speed: | 12.0 knots | Fuel Consumption: | gal/hr | l/hr |
| Cruising Speed: | 11.0 knots | Fuel Consumption: | gal/hr | l/hr |

MACHINERY

| | | | |
|------------------|-----------------------|-------------------|-----------|
| Main Engines: | 2 x Caterpillar 3508B | Total Horsepower: | 3,400 BHP |
| Main Propulsion: | Conventional Drives | Total Horsepower: | 3,400 BHP |
| Main Generators: | 2 x Caterpillar C-9 | Total Rating: | 300 kW |
| Bow Thrusters: | | Total Horsepower: | 300BHP |
| Power Generation | 480V/60Hz | | |

CAPACITIES & DISCHARGE RATES

| | | | | |
|------------------|---------------------------|----------------------|------------------|-------------------------------------|
| Deadweight: | Lt | Mt | Cargo Deck Area: | 90 ft x 30 ft 2,700 Ft ² |
| Deck Strength: | 1,080 lbs/ft ² | 5.0 t/m ² | | 27.4 M X 9.2 M 252 M ² |
| Drill/Rig Water: | 72,000 USG | 272.5 M ³ | Discharge Rate: | 400 GPM 90.8 M ³ /hr |
| Fuel: | 95,920* USG | 363.1 M ³ | Discharge Rates: | 400 GPM 90.8 M ³ /hr |
| | 43,000 USG | 162.8 M ³ | Discharge Rates: | 400 GPM 90.8 M ³ /hr |
| Liquid Mud: | 1,260 Bbls | 200.3 M ³ | Discharge Rates: | 400 GPM 90.8 M ³ /hr |
| Potable Water: | 10,000 USG | 37.8 M ³ | | |
| Fire Monitor: | GPM | M ³ /hr | | |

ELECTRONICS

DP-1, 2 DGPS Receivers, Radars (2), VHF Radios (3), SSB Radios (1), Fathometer, Interfaced CP Plotter, NAVTEC

ACCOMMODATIONS

Accommodations for 20 persons, Certified to Carry 20

3 each 2 person rooms 2 each 4 person rooms 1 each 6 person room

SPECIAL FEATURES

* - Note the higher fuel capacity figures include utilizing liquid mud tanks to carry fuel.

NOTICE: The data contained herein is provided for convenience of reference to allow users to determine the suitability of the Company's equipment. The data may vary from the current condition of equipment which can only be determined by physical inspection. Company has exercised due diligence to insure that the data contained herein is reasonably accurate. However, Company does not warrant the accuracy or completeness of the data. In no event shall Company be liable for any damages whatsoever arising out of the use or inability to use the data contained herein.